

**FLORIDA BOARD OF GOVERNORS  
NOTICE OF PROPOSED REGULATION AMENDMENT**

**DATE:** April 2, 2009

**REGULATION NUMBER AND TITLE:** 21.207 General Infrastructure Element.

**SUMMARY:** An advisory group has worked over the past year with the Florida Conflict Resolution Consortium to revise and update the Board of Governor Master Planning Regulations. The group is composed of university, local government and community representatives.

The draft document has been circulated as well as posted on the Board of Governor's website, with the goal of soliciting comments and feedback. These

## **21.207 General Infrastructure Element.**

The purpose of This element is to ensure the provision of adequate capacity for stormwater management, potable water, sanitary sewer and treatment, and solid waste facilities required to meet the future needs of the university. The General Infrastructure Element shall consist of a Stormwater Management Sub-Element, a Sanitary Sewer Sub-Element, a Potable Water Sub-Element, and a Solid Waste Sub-Element.

~~(1) STORMWATER MANAGEMENT DATA REQUIREMENTS. This sub element shall be based, at a minimum, on the following data requirements, pursuant to subsection 6C 21. 2023(2), F.A.C.~~

~~(a) An inventory of all public and private facilities and natural features which provide stormwater management for the campus, including detention and retention structures, storm drainage pipe systems, natural stream channels, rivers, lakes, wetlands, etc., (map, narrative).~~

~~(b) For facilities shared with the host community, a description of the proportional capacity of the facility required to meet existing university needs, including a description of any capacity that may have been previously allocated to the university by the host community.~~

~~(c) The following data shall be included for the stormwater management facilities identified in subparagraph (1)(a):~~

- ~~1. The entity having operational responsibility for the facility;~~
- ~~2. The geographic service area of the facility and the predominant types of land uses served by the facility;~~
- ~~3. The design capacity of the facility;~~
- ~~4. The current demand on the capacity of the facility; and~~
- ~~5. The level of service provided by the facility.~~

~~(d) Major natural stormwater management and hydrological features shall be identified and included on a map.~~

~~(2) STORMWATER MANAGEMENT ANALYSIS REQUIREMENTS. This sub element shall be based upon the following analyses which support the campus master plan pursuant to subsection 6C 21. 2023(2), F.A.C.~~

~~(a) A facility capacity analysis, by geographic service area, indicating capacity surpluses and deficiencies for:~~

- ~~1. Existing conditions, based on the facility design capacity and the current demand on facility capacity; and~~
- ~~2. The end of the planning time frame, based on the projected demand at current level of service standards for the facility, projected student populations and land use distributions, and any available existing surplus facility capacity.~~

~~(b) The general performance of existing stormwater management facilities, evaluating the adequacy of the current level of service provided by the facility, the general condition and expected life of the facility, and the impact of the facility upon adjacent natural resources.~~

~~(c) An analysis of the problems and opportunities for stormwater management facility expansion or replacement to meet projected needs of the university.~~

~~(d) Existing regulations and programs which govern land use and development of natural drainage features shall be analyzed, including the strengths and deficiencies of those programs and regulations in maintaining the functions of natural stormwater management features.~~

(1) STORMWATER MANAGEMENT DATA AND ANALYSIS REQUIREMENTS. This sub-element shall be based on the following data and analysis requirements, pursuant to Subparagraph 21.202(2).

(a) Inventory and assess all public and private facilities and natural features which provide stormwater management for the campus, including detention and retention structures, storm drainage pipe systems, natural stream channels, rivers, lakes, wetlands, etc., (map, narrative). Assessment should include:

1. A facility capacity analysis by geographic service area, indicating capacity surpluses and deficiencies for:

i. Existing conditions, based on the facility design capacity and the current demand on facility capacity; and

ii. The end of the planning time frame, based on the projected demand at current level of service standards for the facility, projected student populations and land use distributions, and any available existing surplus facility capacity.

2. Analyzing the general performance of existing stormwater management facilities, evaluating the adequacy of the current level of service provided by the facility, the general condition and expected life of the facility, and the impact of the facility upon adjacent natural resources.

3. Preparing a description of the proportional capacity of any facilities shared between the university and the host and/or affected local governments that are required to meet existing university needs, including a description of any capacity that may have been previously allocated to the university by the host and/or affected communities.

4. Analyzing the general performance of natural stormwater management and hydrological features, and preparing a map of where these features are located.

(b) Inventory and assess the problems and opportunities for stormwater management facility expansion or replacement to meet projected needs of the university.

(c) Inventory and assess existing regulations and programs which govern land use and development of natural drainage features, including an analysis of the strengths and deficiencies of those programs and regulations in maintaining the functions of natural stormwater management features.

(2)(3) REQUIREMENTS FOR STORMWATER MANAGEMENT GOALS, OBJECTIVES AND POLICIES.

(a) The sub-element shall contain one or more goal statements for accommodating future university stormwater management requirements.

(b) The sub-element shall contain one or more objectives for each goal which address:

1. Correcting existing stormwater management facility deficiencies;

2. Coordinating the provision of increased facility capacity to meet future needs of the university; and

3. Protecting the functions of natural stormwater management and hydrological areas.

(c) The element shall contain one or more policy statements for each objective which:

1. Establish the levels of service to be used by the university in establishing stormwater management standards for stormwater quantity and quality;

2. Establish priorities for replacement, correcting existing stormwater management facility deficiencies, and providing for future facility needs;

3. Coordinate the provision of on and off-campus stormwater management facilities required to meet future university needs with the local government or appropriate service provider;

4. Ensure that future stormwater management facility service capacity and capital improvements required to meet future university needs are provided when required, based on needs identified in other master plan elements;
5. Establish administrative, operational and other procedures to mitigate impacts of university-generated stormwater; and
6. Establish the timing or phasing requirements for stormwater management facility improvements to meet future university needs.
7. Encouraging the use of stormwater best management principles such as low-impact

~~(c) The general performance of existing potable water facilities, evaluating the adequacy of the current level of service provided by the facility, the general condition and expected life of the facility, and the impact of the facility upon adjacent natural resources.~~

~~(d) An analysis of the problems and opportunities for potable water facility expansion or replacement to meet projected needs of the university.~~

~~(e) A description of the campus underground hydrology, including its potential for use as a potable water source.~~

~~(f) An analysis of existing local, state and federal regulations governing potable water systems.~~

(3) POTABLE WATER DATA AND ANALYSIS REQUIREMENTS. This sub-element shall be based on the following data and analysis requirements, pursuant to Subparagraph 21.202(2).

(a) Inventory and assess all public and private facilities (including main distribution lines) which provide potable water to the campus. Assessment should include:

1. A facility capacity analysis by geographic service area, indicating capacity surpluses and deficiencies for:

i. Existing conditions, based on the facility design capacity and the current demand on facility capacity; and

ii. The end of the planning time frame, based on the projected demand at current level of service standards for the facility, projected student populations and land use distributions, and any available existing surplus facility capacity.

2. Analyzing the general performance of existing potable water facilities (including main distribution lines), evaluating the adequacy of the current level of service provided by the facility, the general condition and expected life of the facility, and the impact of the facility upon adjacent natural resources.

3. Preparing a description of the proportional capacity of any facilities shared between the university and the host and/or affected local governments that are required to meet existing university needs, including a description of any capacity that may have been previously allocated to the university by the host and/or affected communities.

4. Analyzing the underground hydrology of the campus, including its potential as a

university; and

3. Protecting and conserving potable water sources.

(c) The element shall contain one or more policy statements for each objective which:

1. Establish the levels of service to be used by the university in establishing potable water supply requirements;

~~and any available existing surplus facility capacity.~~

2. Establish priorities for replacement, correcting existing sanitary sewer facility deficiencies, and providing for future facility needs;

3. Coordinate the provision of on and off-campus sanitary sewer facilities required to meet future university needs with the local government or appropriate service provider;

4. Ensure that future sanitary sewer facility service capacity and capital improvements required to meet future university needs are provided when required, based on needs identified in other master plan elements; and

5. Establish the timing or phasing requirements for sanitary sewer facility improvements to meet future university needs.

(d) The Sanitary Sewer Sub-Element shall be described, at a minimum, in the General Infrastructure Element Map(s) and explanatory text. This map, along with companion narrative, shall identify the location and size of the proposed general infrastructure distribution and collection system lines, treatment facilities and generation facilities. The map and text shall be accompanied by explanatory tabular information as required.

~~(10) SOLID WASTE DATA REQUIREMENTS. This sub element shall be based on the following data requirements, pursuant to subsection 6C-21. 2023(2), F.A.C.~~

~~(a) An inventory of the existing solid waste collection and disposal systems on the campus (map, narrative) including facilities for the storage and/or disposal of hazardous and medical wastes.~~

~~(b) The amount of solid waste generated by the university and disposal method including identification of the final receiving facility and amount of university solid waste which is recycled.~~

~~(c) For facilities shared with the host community, a description of the proportional capacity of the facility required to meet existing university needs, including a description of any capacity that may have been previously allocated to the university by the host community.~~

~~(d) The following data shall be included for the solid waste collection and disposal facilities identified in subparagraph (1)(a):~~

~~1. The entity having operational responsibility for the facility;~~

~~2. The geographic service area of the facility and the predominant types of land uses served by the facility;~~

~~3. The design capacity of the facility;~~

~~4. The current demand on the capacity of the facility; and~~

~~5. The level of service provided by the facility.~~

~~(e) Major solid waste collection and disposal facilities shall be identified and included on a map.~~

~~(11) SOLID WASTE ANALYSIS REQUIREMENTS. This sub element shall be based upon the following analyses which support the campus mas~~





(b) The sub-element shall contain one or more objectives for each goal which address:

1. Correcting existing solid waste collection and disposal facility deficiencies; and
2. Coordinating the provision of increased facility capacity to meet future needs of the university.

3. Increasing solid waste recycling.

(c) The element shall contain one or more policy statements for each objective which:

1. Establish the levels of service to be used by the university in establishing solid waste collection and disposal facility requirements;

2. Establish priorities for replacement, correcting existing solid waste collection and disposal facility deficiencies, and providing for future facility needs;

3. Coordinate the provision of on and off-campus solid waste collection and disposal facilities required to meet future university needs with the local government or appropriate service provider;

4. Ensure that future solid waste collection and disposal facility service capacity and capital improvements required to meet future university needs are provided when required, based on needs identified in other master plan elements; and

5. Establish the timing or phasing requirements for solid waste collection and disposal facility improvements to meet future university needs.

6. Increase recycling through increased collection points and awareness campaigns

(d) The Solid Waste Sub-Element shall be described, at a minimum, in the General Infrastructure Element Map(s) and explanatory text. This map, along with the companion narrative shall identify the location and size of the proposed general infrastructure distribution and collection system lines, treatment facilities and generation facilities. The map and text shall be accompanied by explanatory tabular information as required.

*Specific Authority 240.209(1), (3)(g), 240.155(22) FS. Law Implemented 240.155(3) FS. History—  
New 2-15-94.*